

**Junction box alternatives  
 for  
 flow and level switch units**



Small size housings for max 32V, IP65 rating, 1/4" and 1/2" connections <input type="checkbox"/> internal terminal strip <input type="checkbox"/> Dims: 60mm dia x 80 mm high		
Aluminium Small 32V IP65	<b>JB-ALS-32V-65-1</b> (1/4") <b>JB-ALS-32V-65-2</b> (1/2") <input type="checkbox"/> Painted aluminium case <input type="checkbox"/> M16 NPB cable gland supplied	
Stainless Small 32V IP65	<b>JB-SSS-32V-65-2</b> <input type="checkbox"/> Full 316SS case <input type="checkbox"/> M16 SS cable gland supplied	
Medium size housings for max 32V, IP65 rating, 1/2" connection <input type="checkbox"/> internal terminal strip on SS bracket <input type="checkbox"/> Dims: 70mm dia x 75 mm high		
Aluminium Medium 32V IP65	<b>JB-ALM-32V-65-2</b> <input type="checkbox"/> Painted aluminium case <input type="checkbox"/> M20 cable entry (no gland)	
Stainless Medium 32V IP65	<b>JB-SSM-32V-65-2</b> <input type="checkbox"/> Full 316SS case <input type="checkbox"/> M20 SS cable gland supplied	
Large size housings for max 250V, IP65 rating, 1/2" connection <input type="checkbox"/> Painted earth terminals both inside and outside housing. <input type="checkbox"/> Cover locking screw <input type="checkbox"/> internal terminal strip on SS bracket <input type="checkbox"/> Dims: 82mm dia x 94 mm high		
Aluminium Large 240V IP65	<b>JB-ALL-240V-65-2</b> <input type="checkbox"/> Painted aluminium case <input type="checkbox"/> M20 cable entry (no gland)	
Stainless Large 240V IP65	<b>JB-SSL-240V-65-2</b> <input type="checkbox"/> Full 316SS case <input type="checkbox"/> M20 SS cable gland supplied	



FS-200 with JB-ALL-240V-65-2



FS-550 with JB-SSL-240V-65-2



Typical Gems flow switch fitted with large 240V junction box



Typical Gems level sensors with junction box fitted